

# **High Concentrated All-purpose Cleaner**

**LOW-WATER FORMULATION WITH PURAC® SANILAC 80** 



## Low-water formulation with PURAC® Sanilac 80

INGREDIENTS	INCI	FUNCTION	Weight [g]	% sachet dissolved in 500ml	Active in 500 ml [%]
Texapon N701	Sodium Lauryl Ether Sulfate	Surfactant	7.00	1.40	0.98
Glucopon 425N/HH <sup>1</sup>	Alkyl polyglucoside C8-C16	Surfactant	5.00	1.00	0.50
Trilon M granules <sup>1</sup>	Trisodium salt of Methylglycinediacetic acid	Chelator	1.00	0.20	0.20
PURAC® Sanilac 80 <sup>2</sup>	Lactic acid, Calcium Lactate	Preservative, Booster, pH adjuster	6.00	1.00	1.00
Nutrinova potassium sorbate BFX <sup>3</sup>	Potassium Sorbate	Preservative	0.25	0.05	0.05
		Perfume	QS		
	Polymeric dye	Colorant	QS		
		TOTAL	19.25g	3.65%	2.73%

### Manufacturing procedure

Mix the ingredients until a homogenous mixture is obtained.

\*Antimicrobial formulation can be obtained when the concentration of PURAC Sanilac 80 is increased to 2% (=12gr).

#### **Product characteristics**

Appearance: clear viscous liquid pH sachet in 500 ml water: 3.00

#### **Suppliers**

<sup>1</sup> BASE L<sup>2</sup> Corbion L<sup>3</sup> Celanese



- ► High concentrated for dilution up to 27x
- Streak free
- Mildness
- Sustainability



Request a sample at corbion.com/homecare

© Copyright Corbion. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions centained herein may be relied upon for any purpose or reason. Corbion disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.